


**Historic, Archive Document**

Do not assume content reflects current  
scientific knowledge, policies, or practices.




aTP372  
.6  
.U5564  
1969

**United States  
Department of  
Agriculture**



**National Agricultural Library**



# UNITED STATES STANDARDS

*for grades of*

# CANNED TANGERINE JUICE

**Second Issue**  
*As Amended*

**EFFECTIVE JULY 1, 1969**

**UNITED STATES DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
FRUIT AND VEGETABLE DIVISION  
PROCESSED PRODUCTS STANDARDIZATION AND INSPECTION BRANCH**

These standards supersede the standards which have been in effect since  
September 21, 1968



101

Previous issues of these standards were:

First Issue: Effective March 15, 1947  
Second Issue: Effective July 29, 1949  
Amended: Effective September 21, 1968  
Amended: Effective July 1, 1969

These standards are included in the Code of Federal Regulations, Title 7 -- Agriculture, Part 52.

Issued under the authority of the Agricultural Marketing Act of 1946, which provides for the development of official U.S. grades to designate different levels of quality, the grade standards are for the voluntary use of producers, suppliers, buyers, and consumers. As in the case of other standards for grades of processed fruits and vegetables, these standards are designed to facilitate orderly marketing by providing a convenient basis for buying and selling, for establishing quality control programs, and for determining loan values.

These standards will also serve as a basis for the inspection and grading of this commodity by the Federal inspection service, which is also provided under the Agricultural Marketing Act of 1946. This service, available for inspection and grading of other processed products as well, is offered to interested parties, upon application, on a fee-for-service basis.

These standards are issued by the Department after careful consideration of all data and views submitted, and the Department welcomes suggestions which might aid in improving the standards in future revisions. Comments may be submitted to, and copies of standards obtained from:

Chief, Processed Products Standardization  
and Inspection Branch  
Fruit and Vegetable Division, AMS  
U.S. Department of Agriculture  
Washington, D.C. 20250

# UNITED STATES STANDARDS FOR GRADES OF OF CANNED TANGERINE JUICE

Effective July 1, 1969

## Subpart—United States Standards for Grades of Canned Tangerine Juice

### PRODUCT DESCRIPTION AND GRADES

- 52.2071 Product description.
- 52.2072 Grades of canned tangerine juice.

### FILL OF CONTAINER

- 52.2073 Recommended fill of container.

### FACTORS OF QUALITY

- 52.2074 Ascertaining the grade.
- 52.2075 Ascertaining the rating of each factor.
- 52.2076 Color.
- 52.2077 Absence of defects.
- 52.2078 Flavor.

### EXPLANATIONS AND METHODS OF ANALYSES

- 52.2079 Definitions of terms.
- 52.2080 Explanation of analyses.

### LOT INSPECTION AND CERTIFICATION

- 52.2081 Ascertaining the grade of a lot.

### SCORE SHEET

- 52.2082 Score sheet for canned tangerine juice.

**AUTHORITY:** The provisions of this Part 52 issued under secs. 202-208, 60 Stat. 1087, as amended; 7 U.S.C. 1621-1627.

### PRODUCT DESCRIPTION AND GRADES

#### § 52.2071 Product description.

Canned tangerine juice is the undiluted, unconcentrated, unfermented juice obtained from mature fresh fruit of the Mandarin orange (*Citrus reticulata*) which fruit has been properly washed; is packed with or without the addition of sweetening ingredients; is sufficiently processed by heat to assure preservation of the product; and is packed in containers which are hermetically sealed.

Compliance with the provisions of these standards shall not excuse failure to comply with the provisions of the Federal Food, Drug, and Cosmetic Act or with applicable State laws and regulations.

#### § 52.2072 Grades of canned tangerine juice.

(a) "U.S. Grade A" or "U.S. Fancy" is the quality of canned tangerine juice that shows no coagulation; that possesses a very good color; is practically free from defects; possesses a very good flavor; and scores not less than 85 points when scored in accordance with the scoring system outlined in this subpart.

(b) "U. S. Grade C" or "U. S. Standard" is the quality of canned tangerine juice that may show slight coagulation; that possesses a good color; is fairly free from defects; possesses a good flavor; and scores not less than 70 points when scored in accordance with the scoring system outlined in this subpart.

(c) "U. S. Grade D" or "Substandard" is the quality of canned tangerine juice that fails to meet the requirements of U. S. Grade C or U. S. Standard.

### FILL OF CONTAINER

#### § 52.2073 Recommended fill of container.

The recommended fill of container is not incorporated in the grades of the finished product since fill of container, as such, is not a factor of quality for the purposes of these grades. It is recommended that the container be filled as full as practicable with tangerine juice and that the product occupy not less than 90 percent of the total capacity of the container.

### FACTORS OF QUALITY

#### § 52.2074 Ascertaining the grade.

The grade of canned tangerine juice may be ascertained by considering in addition to the foregoing requirements of the respective grade, the respective ratings for the factors of color, absence of defects, and flavor. The relative importance of each factor is expressed numeri-



cally on the scale of 100. The maximum number of points that may be given for each factor is:

Factors:	Points
Color-----	20
Absence of defects-----	40
Flavor-----	40
Total score-----	100

§ 52.2075 Ascertaining the rating of each factor.

The essential variations within each factor are so described that the value may be ascertained for each factor and expressed numerically. The numerical range within each factor is inclusive (for example, "17 to 20 points" means 17, 18, 19, or 20 points).

§ 52.2076 Color.

(a) (A) *classification*. Canned tangerine juice that possesses a very good color may be given a score of 17 to 20 points. "Very good color" means that the tangerine juice possesses a bright yellow to yellow-orange color typical of freshly extracted juice and is free from browning due to scorching, oxidation, caramelization, or other causes.

(b) (C) *classification*. If the canned tangerine juice possesses a good color, a score of 14 to 16 points may be given. Canned tangerine juice that falls into this classification shall not be graded above U. S. Grade C or U. S. Standard, regardless of the total score for the product (this is a limiting rule). "Good color" means that the tangerine juice possesses a typical yellow to yellow-orange color that may be slightly amber or show evidence of slight browning, but is not off-color.

(c) (SStd) *classification*. Canned tangerine juice that for any reason fails to meet the requirements of paragraph (b) of this section may be given a score of 0 to 13 points and shall not be graded above U. S. Grade D or Substandard, regardless of the total score for the product (this is a limiting rule).

§ 52.2077 Absence of defects.

(a) *General*. The factor of absence of defects refers to the degree of freedom

from free and suspended pulp, recoverable oil, seeds or seed particles, or other defects.

(1) "Free and suspended pulp" means particles of membrane, core, skin, and other similar extraneous material in canned tangerine juice.

(b) (A) *classification*. Canned tangerine juice that is practically free from defects may be given a score of 34 to 40 points. "Practically free from defects" means that the juice may contain not more than 7 percent free and suspended pulp and that there may be present not more than 0.025 percent by volume of recoverable oil; and does not contain seeds or seed particles or other defects that more than slightly affect the appearance of the product.

(c) (C) *classification*. If the canned tangerine juice is fairly free from defects, a score of 28 to 33 points may be given. Canned tangerine juice that falls into this classification shall not be graded above U.S. Grade C or U.S. Standard, regardless of the total score for the product (this is a limiting rule). "Fairly free from defects" means that the juice may contain not more than 10 percent free and suspended pulp and that there may be present not more than 0.035 percent by volume of recoverable oil; and does not contain seeds or seed particles or other defects that materially affect the appearance of the product.

(d) (SStd) *classification*. If the canned tangerine juice fails to meet the requirements of paragraph (c) of this section, a score of 0 to 27 points may be given. Canned tangerine juice that falls into this classification shall not be graded above U. S. Grade D or Substandard, regardless of the total score for the product (this is a limiting rule).

§ 52.2078 Flavor.

(a) (A) *Classification*. (1) Canned tangerine juice that possesses a very good flavor may be given a score of 34 to 40 points. "Very good flavor" means a fine, distinct canned tangerine juice flavor which is free from traces of scorching, caramelization, oxidation, or terpene; is free from off flavors of any kind; and meets the following requirements:



	Minimum	Maximum
Brix (degrees).....	10.5°.....	
Acid (per 100 grams).....	0.65 gm.....	1.35 gms.
Brix-acid ratio.....	10.5:1.....	19:1.

(2) Canned tangerine juice is considered "sweet" if the juice possesses a very good flavor and falls within the range of the following requirements:

	Minimum	Maximum
Brix (degrees).....	12.5°.....	
Acid (per 100 grams).....	0.65 gm.....	1.35 gms.
Brix-acid ratio:		
If less than 16° Brix.....	11.5:1.....	19:1.
If 16° Brix or more.....	No minimum.	19:1.

(b) (C) *Classification.* (1) If the canned tangerine juice possesses a good flavor, a score of 28 to 33 points may be given. Canned tangerine juice that falls into this classification shall not be graded above U.S. Grade C or U.S. Standard, regardless of the total score for the product (this is a limiting rule). "Good flavor" means a good, normal canned tangerine juice flavor which may have a slightly caramelized or slightly oxidized flavor but is free from off flavors of any kind and meets the following requirements:

	Minimum	Maximum
Brix (degrees).....	10.0°.....	
Acid (per 100 grams).....	0.55 gm.....	1.50 gms.
Brix-acid ratio.....	9.5:1.....	

(2) Canned tangerine juice is considered "sweet" if the juice possesses a good flavor and falls within the range of the following requirements:

	Minimum	Maximum
Brix (degrees).....	12.5°.....	
Acid (per 100 grams).....	0.60 gm.....	1.50 gms.
Brix-acid ratio:		
If less than 16° Brix.....	11.5:1.....	
If 16° Brix or more.....	No minimum.	

(c) (*SStd*) *classification.* Canned tangerine juice that fails to meet the requirements of paragraph (b) of this section, is off flavor, or is unpalatable for any reason may be given a score of 0 to 27 points and shall not be graded above U. S. Grade D or Substandard, regardless of the total score for the product (this is a limiting rule).

#### EXPLANATIONS AND METHODS OF ANALYSES

##### § 52.2079 Definitions of terms.

(a) "Brix" means the degrees Brix of canned tangerine juice when tested with a Brix hydrometer calibrated at 20 degrees C. (68 degrees F.). If used in testing juice at a temperature other than 20 degrees C. (68 degrees F.) the applicable temperature correction shall be made to the reading of the scale as prescribed in "Official and Tentative Methods of Analysis of the Association of Official Agricultural Chemists." The degrees Brix of canned tangerine juice may be determined by any other method which gives equivalent results.

(b) "Acid" means grams of total acidity calculated an anhydrous citric acid per 100 grams of juice. Total acidity is determined by titration with standard sodium hydroxide solution using phenolphthalein as indicator.

(c) "Brix-acid ratio" is the ratio of the degrees Brix of the canned tangerine juice to the grams of anhydrous citric acid per 100 grams of the juice.

##### § 52.2080 Explanation of analyses.

(a) Free and suspended pulp is determined by the following method:

(1) Graduated centrifuge tubes with a capacity of 50 ml. are filled with canned tangerine juice and placed in a suitable centrifuge. The speed is adjusted according to diameter, as indicated in Table No. I, and the juice is centrifuged for exactly 10 minutes. As used in this section, "diameter" means the over-all distance between the bottoms of opposing centrifuge tubes in operating position. After centrifuging, the milliliter reading at the top of the layer of pulp in the tube is multiplied by 2 to give the percentage of pulp.

TABLE NO. I

Diameter	Approximate revolutions per minute	Diameter	Approximate revolutions per minute
10 inches.....	1,609	15½ inches.....	1,292
10½ inches.....	1,570	16 inches.....	1,271
11 inches.....	1,534	16½ inches.....	1,252
11½ inches.....	1,500	17 inches.....	1,234
12 inches.....	1,468	17½ inches.....	1,216
12½ inches.....	1,438	18 inches.....	1,199
13 inches.....	1,410	18½ inches.....	1,182
13½ inches.....	1,384	19 inches.....	1,167
14 inches.....	1,359	19½ inches.....	1,152
14½ inches.....	1,336	20 inches.....	1,137
15 inches.....	1,313		

(b) Recoverable oil is determined by the following method:

#### METHOD

##### (1) Reagents.

*Standard bromide-bromate solution*—prepared and standardized to 0.099N in accordance with Chapter 42, Standard Solutions in the current edition of the AOAC.<sup>1</sup> For use, add 1 volume of standard solution to 3 volumes of water to make 0.0247N solution. 1 ml. of 0.0247N solution supplies bromine to react with 0.00085g., or 0.0010 ml., of *d*-limonene. The solutions are stable for 6 months.

*2-Propanol*—Reagent grade ACS (American Chemical Society).

*Dilute hydrochloric acid*—prepared by adding 1 volume of concentrated acid to 2 volumes of water.

*Methyl orange indicator*—0.1 percent in water.

##### (2) Apparatus.

*Electric heater*—with recessed refractory top, 500–750 watts.

*Still, all glass*—500 ml. distillation flask with 24/40 standard taper neck; 200 mm. Graham condenser with 28/15 receiving socket and drip tip; connecting bulb and adapter as shown in Figure 1.

*Burette*—10 ml. or 25 ml. graduated to 0.1 ml., with easily controllable flow to permit both rapid and dropwise titration.

##### (3) Determination.

(i) Pipette 25 ml. of well-mixed sample (juice or reconstituted juice) into the distillation flask containing carborundum chips

or glass beads, and add 25 ml. of 2-Propanol.

(ii) Distill into a 150 ml. beaker. Continue distilling until solvent ceases to reflux then remove the flask from the heater.


(iii) Add 10 ml. of dilute hydrochloric acid and 1 drop of indicator. (An alternative method would be to prepare a solution containing 5 ml. of indicator and 1,000 ml. of dilute hydrochloric acid—then add 10 ml. of this acid-indicator mix to the 150 ml. beaker.)

(iv) Titrate with the dilute bromate solution while stirring. The major portion of the titrant may be added rapidly, but the endpoint must be approached at about 1 drop per second. Disappearance of color indicates the endpoint.

(v) Determine the reagent blank by titrating three separate mixtures of 25 ml. 2-Propanol and 10 ml. of dilute hydrochloric acid with indicator—without refilling the burette. Divide the total ml. of titrant used by three to obtain the average blank. Subtract the average blank thus obtained from the ml. of titrant used to titrate the distillate.

(vi) Multiply the remainder by 0.004 to obtain the percent recoverable oil by volume in the juice sample.

<sup>1</sup>“AOAC” refers to the Official Methods of Analysis published by the Association of Official Analytical (formerly Agricultural) Chemists. Copies may be obtained from this Association at Box 540, Benjamin Franklin Station, Washington, D.C. 20044.



OIL DISTILLATION APPARATUS

Figure 1



# LOT INSPECTION AND CERTIFICATION

## § 52.2081 Ascertaining the grade of a lot.

The grade of a lot of the processed product covered by these standards is determined by the procedures set forth in the regulations governing inspection and certification of processed fruits and vegetables, processed products thereof, and certain other processed food products (§§ 52.1 to 52.87).

[22 F. R. 3547, May 22, 1957]

## SCORE SHEET

## § 52.2082 Score sheet for canned tangerine juice.

Size and kind of container.....	.....
Container mark or identification.....	.....
Label.....	.....
Liquid measure (fl. ounces).....	.....
Vacuum (in inches).....	.....
Brix (degrees).....	.....
Acid (anhydrous citric: grams/100 grams).....	.....
Brix-acid ratio.....	.....
Pulp (free and suspended: percent).....	.....
Recoverable oil (percent by volume).....	.....
Factors	Score points
Color.....	20 { (A) 17-20 (C) 14-16 (D) 10-13
Absence of Defects.....	40 { (A) 34-40 (C) 28-33 (D) 10-27
Flavor.....	40 { (A) 34-40 (C) 28-33 (D) 10-27
Total score.....	100
Grade.....	.....

<sup>1</sup> Indicates limiting rule.

*Effective date.* The amendments to each affected grade standard shall become effective on July 1, 1969.

(Secs. 202-208, 60 Stat. 1087, as amended; 7 U.S.C. 1621-1627)

Dated: May 12, 1969.

JOHN E. TROMER,  
Acting Deputy Administrator,  
Marketing Services.

*Recodified in Federal Register of June 28, 1949 (14 F.R. 3490)*

*Section 52.2081 was amended (22 F.R. 3535) to become effective July 1, 1957.*

*Section 52.2077 and 52.2080 amended August 22, 1968 (33 F.R. 11881)*

*Sections 52.2078, 52.2079, and 52.2082 amended May 17, 1969 (34 F.R. 7860)*

NATIONAL AGRICULTURAL LIBRARY



1022473056

NATIONAL AGRICULTURAL LIBRARY



1022473056